

POSI-TECH

SPRAY FOAM - FIRE RETARDANT



PART NUMBER	DESCRIPTION	QTY CASE
CHAE-0779	<p>EXPANDABLE INSULATING FOAM LIQUID URETHANE FOAM WHICH EXPANDS 200 - 300% AND CURES TO A DURABLE, HARD FOAM, INSULATING SEALANT. FILLS LARGE CRACKS AND HOLES TOO LARGE FOR SILICONE OR CAULK. FIRE RETARDENT</p>	12


RTV SILICONE - SILICONE CAULK



PART NUMBER	DESCRIPTION	QTY CASE
CHAE-0117	RTV SILICONE SQUEEZE TUBE GASKET MAKER, SEALANT, 3 OZ.	12
CHSI-0101	100% SILICONE CLEAR - WILL NOT SHRINK OR CRACK. PERMANENTLY FLEXIBLE. CAULK GUN CARTRIDGE.	12
CHSW-0101	100% SILICONE WHITE - WILL NOT SHRINK OR CRACK. PERMANENTLY FLEXIBLE. CAULK GUN CARTRIDGE.	12

FIRESTOP CAULK

New!




Firestop is a commercial quality, Intumescent, non-combustible Fire, Smoke and Draft stopping sealant, rated for 3000 degrees F for 8 hours. UL Classified ASTM-E136. It is used for commercial, industrial and residential applications. Applications include through penetrations for Electrical, HVAC, Plumbing and Construction voids around chimneys and masonry.

Firestop has excellent adhesion properties. Bonds to most building materials including, ceramics, composites, masonry, metal, plastic and wood. It forms a pressure tight, water resistant joint that will prevent the spread of fire and seal against the infiltration of smoke and toxic gases.

PART NUMBER	DESCRIPTION	QTY CASE
CHFC-1030	10.3 OZ INTUMESCENT FIRESTOP CAULK STYLE TUBE	12

POSi-TECH

CHEMICALS, CLEANERS, LUBRICANTS



PART NUMBER	DESCRIPTION	CASE QTY
CHAE-0274	COIL CLEANER CLEANS COILS ON AIR CONDITIONERS, HEATING COILS, REFRIGERATORS, FREEZERS AND MUCH MORE.	12
CHAE-0357	WASP AND HORNET KILLER 25,000 VOLTS OF DIELECTRIC KILLING POWER. POWERFUL 20 FOOT SPRAY. FREEZING EFFECT PROVIDES QUICK KNOCKDOWN.	12
CHAE-0470	PUNCH INDUSTRIAL CLEANER AND DEGREASER ULTRA FAST, SUPER POWERFUL GREASE DISSOLVING ACTION. THICK CLINGING FOAM, NON FLAMMABLE, BIODEGRADABLE. FRESH SCENT.	12
CHAE-0209	PENETRATING LUBRICANT HIGH DIELECTRIC STRENGTH, RUBBER AND PAINTED SURFACES. CUTS QUICKLY THROUGH RUST AND CORROSION.	12
CHAE-0521	SAFETY SOLVENT HIGH POWER, NON-FLAMMABLE, NON-CONDUCTIVE SOLVENT DISSOLVES GREASE, OIL, TAR AND OTHER SOILS.	12
CHAE-0990	WHITE LITHIUM GREASE ALL WEATHER, HEAVY DUTY, PENETRATING GREASE. FOR USE ON HARD TO REACH, TIGHT AREAS. HEAT STABLE TO 350 DEGREES.	12
CHAE-0955	DRY MOLY INDUSTRIAL GRADE LUBRICANT DRY FRICTION REDUCING ANTI-SEIZE LUBRICANT. INERT TO WATER, OIL, ALKALIS AND ACIDS.	12
CHAE-0865	CHAIN AND CABLE LUBRICANT RUST PROTECTIVE LUBRICANT THAT PENETRATES TO THE CORE OF CABLE AND CHAIN. SUPERIOR FRICTION AND WEAR RESISTANCE.	12
CHAE-0792	BELT DRESSING POWERFUL PIN-POINT SPRAY FOR BOTH SIDES OF BELTS, EVEN WHILE IN MOTION.	12
CHAE-0642	UNDERCOAT & SOUND DEADENER SUPER THICK, SUPER DURABLE, FLEXIBLE, RUBBERIZED COATING WHICH PROTECTS AND INSULATES ANY SURFACE APPLIED. REDUCES UNWANTED NOISE AND VIBRATION. BLACK.	12
CHAE-0595	INDUSTRIAL SILICONE SPRAY MAKES SURFACES SLIDE AND GLIDE. ELIMINATES BINDING ON ALL SURFACES.	12
CHAE-0958	COLD ZINC GALVANIZED PURE ZINC COATING THAT ELECTRICALLY BONDS ITSELF TO METAL SURFACES. EQUALS HOT DIPPED GALVANIZED METHODS. PROTECTS METAL SURFACES FROM RUST AND CORROSION.	12
CHAE-0804	ELECTRONIC CONTACT CLEANER - NON FLAMMABLE HIGH PURITY, HIGH DIELECTRIC, FOR REMOVING GREASE, OXIDES, CONDENSATION AND OTHER CONTAMINANTS.	12
CHAE-0805	ELECTRONIC CONTACT CLEANER HIGH PURITY, HIGH DIELECTRIC, FOR REMOVING GREASE, OXIDES, CONDENSATION AND OTHER CONTAMINANTS.	12


DUCT SEAL

**DUCT
SEAL**

PART NUMBER	DESCRIPTION	BARS PER CASE
CHDS-1000	DUCT SEAL 1# BRICK	50
CHDS-5000	DUCT SEAL 5# BRICK	10

POSI-TECH

PVC PIPE CEMENT




PART NUMBER	DESCRIPTION	CANS PER CASE
CHPC-0063	REGULAR BODY PVC CEMENT 1/2 PINT	24
CHPC-0125	REGULAR BODY PVC CEMENT PINT	12
CHPC-0250	REGULAR BODY PVC CEMENT QUART	12
CHPC-1000	REGULAR BODY PVC CEMENT GALLON	6
CHPS-0250	SMURF CEMENT (WET APPLICATIONS) QUART	12
CHPW-0125	ALL WEATHER (HOT AND COLD) PINT	12
CHPW-0250	ALL WEATHER (HOT AND COLD) QUART	12
CHPM-0125	MEDIUM BODY PVC CEMENT PINT	12
CHPM-0250	MEDIUM BODY PVC CEMENT QUART	12
CHPR-0250	PVC PRIMER QUART	12

CONDUIT THREADING OIL / CUTTING FLUID



PART NUMBER	DESCRIPTION	CANS PER CASE
CHCO-4242	CUTTING OIL QUART	12
CHCO-1000	CUTTING OIL GALLON	4

WIRE PULLING LUBRICANT - POLY X



PART NUMBER	DESCRIPTION	CANS PER CASE
CHWP-0250	QUART	12
CHWP-1000	GALLON	4
CHWP-5000	5 GALLON	1