

POSI-TECH

NYLON RING TERMINALS



TIN PLATED COPPER TERMINALS FOR CORROSION RESISTANCE. RING TONGUE PROVIDES A SECURE TERMINATION THAT IS ONLY REMOVED WHEN SCREW IS REMOVED FIRST.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
NYRG-2206	22-18	6	RED	100
NYRG-2208	22-18	8	RED	100
NYRG-2210	22-18	10	RED	100
NYRG-2214	22-18	1/4	RED	100
NYRG-2256	22-18	5/16	RED	100
NYRG-2238	22-18	3/8	RED	100
NYRG-1606	16-14	6	BLUE	100
NYRG-1608	16-14	8	BLUE	100
NYRG-1610	16-14	10	BLUE	100
NYRG-1614	16-14	1/4	BLUE	100
NYRG-1656	16-14	5/16	BLUE	100
NYRG-1638	16-14	3/8	BLUE	100
NYRG-1206	12-10	6	YELLOW	100
NYRG-1208	12-10	8	YELLOW	100
NYRG-1210	12-10	10	YELLOW	100
NYRG-1214	12-10	1/4	YELLOW	100
NYRG-1256	12-10	5/16	YELLOW	100
NYRG-1238	12-10	3/8	YELLOW	100
NYRG-1212	12-10	1/2	YELLOW	100

NYLON BUTT CONNECTORS



PART NUMBER	WIRE SIZE	COLOR	QTY BOX
NYBT-2200	22-18	RED	100
NYBT-1600	16-14	BLUE	100
NYBT-1200	12-10	YELLOW	100

TIN PLATED COPPER TERMINAL FOR CORROSION RESISTANCE.

POSI-TECH

NYLON SPADE TERMINALS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
NY SP-2206	22-18	6	RED	100
NY SP-2208	22-18	8	RED	100
NY SP-2210	22-18	10	RED	100
NY SP-1606	16-14	6	BLUE	100
NY SP-1608	16-14	8	BLUE	100
NY SP-1610	16-14	10	BLUE	100
NY SP-1206	12-10	6	YELLOW	100
NY SP-1208	12-10	8	YELLOW	100
NY SP-1210	12-10	10	YELLOW	100
NY SP-1214	12-10	1/4	YELLOW	100

NYLON FLANGED SPADE TERMINALS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE SCREW. ADDITIONALLY, THE FLANGED TIPS PROVIDE FOR EXTRA LOCKING CAPABILITY.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
NY FL-2206	22-18	6	RED	100
NY FL-2208	22-18	8	RED	100
NY FL-2210	22-18	10	RED	100
NY FL-1606	16-14	6	BLUE	100
NY FL-1608	16-14	8	BLUE	100
NY FL-1610	16-14	10	BLUE	100
NY FL-1206	12-10	6	YELLOW	100
NY FL-1208	12-10	8	YELLOW	100
NY FL-1210	12-10	10	YELLOW	100

NYLON SNAP SPADE TERMINALS




COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION. ADDITIONALLY, WIDENED TONGUE TIPS PROVIDE ADDITIONAL LOCKING CAPABILITY.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
NY SS-2206	22-18	6	RED	100
NY SS-2208	22-18	8	RED	100
NY SS-2210	22-18	10	RED	100
NY SS-1606	16-14	6	BLUE	100
NY SS-1608	16-14	8	BLUE	100
NY SS-1610	16-14	10	BLUE	100
NY SS-1206	12-10	6	YELLOW	100
NY SS-1208	12-10	8	YELLOW	100
NY SS-1210	12-10	10	YELLOW	100
NY SS-1214	12-10	1/4	YELLOW	100

POSI-TECH


NYLON QUICK SLIDE CONNECTORS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. QUICK DISCONNECT TERMINALS PROVIDE A RELIABLE METHOD OF CONNECTION TO TERMINAL BLOCKS AND BOARDS AS WELL AS METHOD OF IN-LINE SPLICING.

PART NUMBER	BLADE TYPE	WIRE SIZE	BLADE WIDTH	COLOR	BOX QTY
NYQM-2236	MALE	22-18	3/16"	RED	100
NYQM-2214	MALE	22-18	1/4"	RED	100
NYQM-1636	MALE	16-14	3/16"	BLUE	100
NYQM-1614	MALE	16-14	1/4"	BLUE	100
NYQM-1214	MALE	12-10	1/4"	YELLOW	100
NYQF-2236	FEMALE	22-18	3/16"	RED	100
NYQF-2214	FEMALE	22-18	1/4"	RED	100
NYQF-1636	FEMALE	16-14	3/16"	BLUE	100
NYQF-1614	FEMALE	16-14	1/4"	BLUE	100
NYQF-1214	FEMALE	12-10	1/4"	YELLOW	100


NYLON FULLY INSULATED QUICK SLIDES



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. QUICK DISCONNECT TERMINALS PROVIDE A RELIABLE METHOD OF CONNECTION TO TERMINAL BLOCKS AND BOARDS AS WELL AS METHOD OF IN-LINE SPLICING. ADDITIONALLY, WITH A FULLY INSULATED EXTERIOR THESE TERMINALS PROVIDE FOR PROTECTION AGAINST SHORT CIRCUITS.

PART NUMBER	BLADE TYPE	WIRE SIZE	BLADE WIDTH	COLOR	BOX QTY
NYFM-2236	MALE	22-18	3/16"	RED	100
NYFM-2214	MALE	22-18	1/4"	RED	100
NYFM-1636	MALE	16-14	3/16"	BLUE	100
NYFM-1614	MALE	16-14	1/4"	BLUE	100
NYFM-1214	MALE	12-10	1/4"	YELLOW	50
NYFF-2236	FEMALE	22-18	3/16"	RED	100
NYFF-2214	FEMALE	22-18	1/4"	RED	100
NYFF-1636	FEMALE	16-14	3/16"	BLUE	100
NYFF-1614	FEMALE	16-14	1/4"	BLUE	100
NYFF-1214	FEMALE	12-10	1/4"	YELLOW	50

NYLON FLAG TERMINALS




COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. QUICK DISCONNECT TERMINALS PROVIDE A QUICK, RELIABLE METHOD OF CONNECTION TO TERMINAL BLOCKS AND BOARDS WITH THE ADDED FLEXIBILITY FOR TIGHT INSTALLATIONS. ADDITIONALLY, WITH A FULLY INSULATED EXTERIOR, THESE TERMINALS PROVIDE FOR PROTECTION AGAINST SHORT CIRCUITS.

PART NUMBER	WIRE SIZE	BLADE WIDTH	COLOR	BOX QTY
NYFG-2236	22-18	3/16"	RED	100
NYFG-2214	22-18	1/4"	RED	100
NYFG-1636	16-14	3/16"	BLUE	100
NYFG-1614	16-14	1/4"	BLUE	100

POSI-TECH

NYLON BULLET CONNECTORS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. BULLET CONNECTORS PROVIDE A SIMILAR CONNECTION TO QUICK SLIDE TERMINALS. FULLY INSULATED FOR SHORT CIRCUIT PROTECTION.

PART NUMBER	PLUG TYPE	WIRE SIZE	PLUG SIZE	COLOR	BOX QTY
NYBM-2215	MALE	22-18	.157	RED	100
NYBM-1615	MALE	16-14	.157	BLUE	100
NYBF-2215	FEMALE	22-18	.157	RED	100
NYBF-1615	FEMALE	16-14	.157	BLUE	100

NYLON PIGTAIL CONNECTORS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE.

PART NUMBER	WIRE SIZE	COLOR	BOX QTY
NYPG-2200	22-14	NATURAL	100
NYPG-1800	18-10	NATURAL	100
NYPG-1600	16-8	NATURAL	50

POSI-TECH

VINYL RING TERMINALS



TIN PLATED COPPER TERMINALS FOR CORROSION RESISTANCE. RING TONGUE PROVIDES A SECURE TERMINATION THAT IS ONLY REMOVED WHEN SCREW IS REMOVED FIRST.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
VNRG-2206	22-18	6	RED	100
VNRG-2208	22-18	8	RED	100
VNRG-2210	22-18	10	RED	100
VNRG-2214	22-18	1/4	RED	100
VNRG-2256	22-18	5/16	RED	100
VNRG-2238	22-18	3/8	RED	100
VNRG-1606	16-14	6	BLUE	100
VNRG-1608	16-14	8	BLUE	100
VNRG-1610	16-14	10	BLUE	100
VNRG-1614	16-14	1/4	BLUE	100
VNRG-1656	16-14	5/16	BLUE	100
VNRG-1638	16-14	3/8	BLUE	100
VNRG-1206	12-10	6	YELLOW	100
VNRG-1208	12-10	8	YELLOW	100
VNRG-1210	12-10	10	YELLOW	100
VNRG-1214	12-10	1/4	YELLOW	100
VNRG-1256	12-10	5/16	YELLOW	100
VNRG-1238	12-10	3/8	YELLOW	100
VNRG-1212	12-10	1/2	YELLOW	100
VBRG-0810	8	10	RED	50
VBRG-0814	8	1/4"	RED	50
VBRG-0856	8	5/16"	RED	50
VBRG-0838	8	3/8"	RED	50
VBRG-0812	8	1/2"	RED	50
VBRG-0610	6	10	BLUE	25
VBRG-0614	6	1/4"	BLUE	25
VBRG-0656	6	5/16"	BLUE	25
VBRG-0638	6	3/8"	BLUE	25
VBRG-0612	6	1/2"	BLUE	25

VINYL BUTT CONNECTORS



TIN PLATED COPPER TERMINAL FOR CORROSION RESISTANCE.

PART NUMBER	WIRE SIZE	COLOR	BOX QTY
VNBT-2200	22-18	RED	100
VNBT-1600	16-14	BLUE	100
VNBT-1200	12-10	YELLOW	100
VBBT-0800	8	RED	25
VBBT-0600	6	BLUE	25
VBBT-0400	4	YELLOW	10

POSI-TECH

VINYL SPADE TERMINALS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
VNSP-2206	22-18	6	RED	100
VNSP-2208	22-18	8	RED	100
VNSP-2210	22-18	10	RED	100
VNSP-1606	16-14	6	BLUE	100
VNSP-1608	16-14	8	BLUE	100
VNSP-1610	16-14	10	BLUE	100
VNSP-1614	16-14	1/4	YELLOW*	100
VNSP-1206	12-10	6	YELLOW	100
VNSP-1208	12-10	8	YELLOW	100
VNSP-1210	12-10	10	YELLOW	100
VNSP-1214	12-10	1/4	YELLOW	100

VINYL FLANGED SPADE TERMINALS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION. ADDITIONALLY THE FLANGED TIPS PROVIDE FOR EXTRA LOCKING CAPABILITY.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
VNFL-2206	22-18	6	RED	100
VNFL-2208	22-18	8	RED	100
VNFL-2210	22-18	10	RED	100
VNFL-1606	16-14	6	BLUE	100
VNFL-1608	16-14	8	BLUE	100
VNFL-1610	16-14	10	BLUE	100
VNFL-1206	12-10	6	YELLOW	100
VNFL-1208	12-10	8	YELLOW	100
VNFL-1210	12-10	10	YELLOW	100

VINYL SNAP SPADE TERMINALS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION. ADDITIONALLY THE WIDENED TONGUE TIPS PROVIDE ADDITIONAL LOCKING CAPABILITY.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
VNSS-2206	22-18	6	RED	100
VNSS-2208	22-18	8	RED	100
VNSS-2210	22-18	10	RED	100
VNSS-1606	16-14	6	BLUE	100
VNSS-1608	16-14	8	BLUE	100
VNSS-1610	16-14	10	BLUE	100
VNSS-1206	12-10	6	YELLOW	100
VNSS-1208	12-10	8	YELLOW	100
VNSS-1210	12-10	10	YELLOW	100

VINYL SNAP SPADE TERMINALS



PART NUMBER	WIRE SIZE	COLOR	BOX QTY
VNPN-2200	22-18	RED	100
VNPN-1600	16-14	BLUE	100
VNPN-1200	12-10	YELLOW	100

POSI-TECH

VINYL QUICK - SLIDE CONNECTORS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. QUICK DISCONNECT TERMINALS PROVIDE A RELIABLE METHOD OF CONNECTION TO TERMINAL BLOCKS AND BOARDS AS WELL AS METHOD OF IN-LINE SPLICING.

PART NUMBER	BLADE TYPE	WIRE SIZE	BLADE WIDTH	COLOR	BOX QTY
VNQM-2236	MALE	22-18	3/16"	RED	100
VNQM-2214	MALE	22-18	1/4"	RED	100
VNQM-1636	MALE	16-14	3/16"	BLUE	100
VNQM-1614	MALE	16-14	1/4"	BLUE	100
VNQM-1236	MALE	12-10	3/16"	YELLOW	100
VNQM-1214	MALE	12-10	1/4"	YELLOW	100
VNQF-2236	FEMALE	22-18	3/16"	RED	100
VNQF-2214	FEMALE	22-18	1/4"	RED	100
VNQF-1611	FEMALE	16-14	.110	BLUE	100
VNQF-1636	FEMALE	16-14	3/16"	BLUE	100
VNQF-1614	FEMALE	16-14	1/4"	BLUE	100
VNQF-1236	FEMALE	12-10	3/16"	YELLOW	100
VNQF-1214	FEMALE	12-10	1/4"	YELLOW	100


VINYL PIGGY BACK TERMINALS



TIN PLATED COPPER TERMINAL FOR CORROSION RESISTANCE.

PART NUMBER	WIRE SIZE	BLADE WIDTH	COLOR	BOX QTY
VNPB-2214	22-18	1/4"	RED	100
VNPB-1614	16-14	1/4"	BLUE	100


VINYL BULLET CONNECTORS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. BULLET CONNECTORS PROVIDE A SIMILAR CONNECTION TO QUICK SLIDE TERMINALS. FULLY INSULATED FOR SHORT CIRCUIT PROTECTION.

PART NUMBER	BLADE TYPE	WIRE SIZE	PLUG SIZE	COLOR	QTY BOX
VNBM-2215	MALE	22-18	.157	RED	100
VNBM-1615	MALE	16-14	.157	BLUE	100
VNBM-1618	MALE	16-14	.180	BLUE	100
VNBF-2215	FEMALE	22-18	.157	RED	100
VNBF-1615	FEMALE	16-14	.157	BLUE	100
VNBF-1618	FEMALE	16-14	.180	BLUE	100

VINYL THREE & FOUR WAY TERMINALS



TIN PLATED COPPER TERMINAL FOR CORROSION RESISTANCE.

PART NUMBER	WIRE SIZE	TYPE	COLOR	BOX QTY
VNTW-2200	22-18	3 WAY	RED	50
VNTW-1600	16-14	3 WAY	BLUE	50
VNTW-1200	12-10	3 WAY	YELLOW	50
VNFW-2200	22-18	4 WAY	RED	50
VNFW-1600	16-14	4 WAY	BLUE	50
VNFW-1200	12-10	4 WAY	YELLOW	50

POSI-TECH

NON-INSULATED RING TERMINALS



TIN PLATED COPPER TERMINALS FOR CORROSION RESISTANCE. RING TONGUE PROVIDES A SECURE TERMINATION THAT IS ONLY REMOVED WHEN SCREW IS REMOVED FIRST.

PART NUMBER	SEAM TYPE	AWG	STUD SIZE	BOX QTY
NORG-2206	BUTTED	22-18	6	100
NORG-2208	BUTTED	22-18	8	100
NORG-2210	BUTTED	22-18	10	100
NORG-2214	BUTTED	22-18	1/4	100
NORG-2256	BUTTED	22-18	5/16	100
NORG-1606	BUTTED	16-14	6	100
NORG-1608	BUTTED	16-14	8	100
NORG-1610	BUTTED	16-14	10	100
NORG-1614	BUTTED	16-14	1/4	100
NORG-1656	BUTTED	16-14	5/16	100
NORG-1206	BUTTED	12-10	6	100
NORG-1208	BUTTED	12-10	8	100
NORG-1210	BUTTED	12-10	10	100
NORG-1214	BUTTED	12-10	1/4	100
NORG-1256	BUTTED	12-10	5/16	100
NORG-1238	BUTTED	12-10	3/8	100
NORG-1212	BUTTED	12-10	1/2	100
NBRG-0810	BRAZED	8	10	50
NBRG-0814	BRAZED	8	1/4"	50
NBRG-0856	BRAZED	8	5/16"	50
NBRG-0838	BRAZED	8	3/8"	50
NBRG-0812	BRAZED	8	1/2"	50
NBRG-0610	BRAZED	6	10	25
NBRG-0614	BRAZED	6	1/4"	25
NBRG-0656	BRAZED	6	5/16"	25
NBRG-0638	BRAZED	6	3/8"	25
NBRG-0612	BRAZED	6	1/2"	25

NON-INSULATED BUTT CONNECTORS



PART NUMBER	SEAM TYPE	WIRE SIZE	COLOR	QTY BOX
NOBT-2200	BUTTED	22-18	NA	100
NOBT-1600	BUTTED	16-14	NA	100
NBBT-1200	BRAZED	12-10	NA	100
NOBT-1200	BUTTED	12-10	NA	100
NBBT-0800	BRAZED	8	NA	50
NBBT-0600	BRAZED	6	NA	25
NBBT-0400	BRAZED	4	NA	25

TIN PLATED COPPER TERMINAL FOR CORROSION RESISTANCE.

POSI-TECH

NON-INSULATED SPADE TERMINALS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION.

PART NUMBER	WIRE SIZE	STUD SIZE	BOX QTY
NO SP-2206	22-18	6	100
NO SP-2208	22-18	8	100
NO SP-2210	22-18	10	100
NO SP-1606	16-14	6	100
NO SP-1608	16-14	8	100
NO SP-1610	16-14	10	100
NO SP-1614	16-14	1/4	100
NO SP-1206	12-10	6	100
NO SP-1208	12-10	8	100
NO SP-1210	12-10	10	100
NO SP-1214	12-10	1/4	100

NON-INSULATED FLANGED SPADES



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION. ADDITIONALLY THE FLANGED TIPS PROVIDE FOR EXTRA LOCKING CAPABILITY.

PART NUMBER	WIRE SIZE	STUD SIZE	BOX QTY
NO FL-2206	22-18	6	100
NO FL-2208	22-18	8	100
NO FL-2210	22-18	10	100
NO FL-1606	16-14	6	100
NO FL-1608	16-14	8	100
NO FL-1610	16-14	10	100
NO FL-1206	12-10	6	100
NO FL-1208	12-10	8	100
NO FL-1210	12-10	10	100

NON-INSULATED SNAP SPADES




COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. FORK TONGUE ALLOWS FOR EASIER INSTALLATION BY PERMITTING INSERTION UNDER THE SCREW HEAD WITHOUT COMPLETELY REMOVING THE CONNECTION. ADDITIONALLY WIDENED TONGUE TIPS PROVIDE ADDITIONAL LOCKING CAPABILITY.

PART NUMBER	WIRE SIZE	STUD SIZE	BOX QTY
NO SS-2206	22-18	6	100
NO SS-2208	22-18	8	100
NO SS-2210	22-18	10	100
NO SS-1606	16-14	6	100
NO SS-1608	16-14	8	100
NO SS-1610	16-14	10	100
NO SS-1206	12-10	6	100
NO SS-1208	12-10	8	100
NO SS-1210	12-10	10	100
NO SS-1214	12-10	1/4	100

POSI-TECH

NON-INSULATED QUICK - SLIDES



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. QUICK DISCONNECT TERMINALS PROVIDE A RELIABLE METHOD OF CONNECTION TO TERMINAL BLOCKS AND BOARDS AS WELL AS METHOD OF IN-LINE SPLICING.

PART NUMBER	BLADE TYPE	WIRE SIZE	BLADE WIDTH	BOX QTY
NOQM-2236	MALE	22-18	3/16"	100
NOQM-2214	MALE	22-18	1/4"	100
NOQM-1636	MALE	16-14	3/16"	100
NOQM-1614	MALE	16-14	1/4"	100
NOQM-1214	MALE	12-10	1/4"	100
NOQF-2236	FEMALE	22-18	3/16"	100
NOQF-2214	FEMALE	22-18	1/4"	100
NOQF-1636	FEMALE	16-14	3/16"	100
NOQF-1614	FEMALE	16-14	1/4"	100
NOQF-1214	FEMALE	12-10	1/4"	100

NON-INSULATED FLAG TERMINALS



COPPER TERMINAL IS TIN PLATED FOR CORROSION RESISTANCE. QUICK DISCONNECT TERMINALS PROVIDE A QUICK, RELIABLE METHOD OF CONNECTION TO TERMINAL BLOCKS AND BOARDS WITH THE ADDED FLEXIBILITY FOR TIGHT INSTALLATIONS.

PART NUMBER	WIRE SIZE	BLADE WIDTH	BOX QTY
NOFG-2236	22-18	3/16"	100
NOFG-2214	22-18	1/4"	100
NOFG-1636	16-14	3/16"	100
NOFG-1614	16-14	1/4"	100
NOFG-1214	12-10	1/4"	100

SPECIALTY CONNECTORS



PART NUMBER	TYPE	WIDTH AT STUD HOLE	STUD SIZE	BLADE WIDTH	BOX QTY
NOPB-0014	PIGGY BACK	---	---	1/4"	100
NOVW-0014	SIDE BY SIDE	---	---	1/4"	100
NOTB-0614	TAB	.30	6	1/4"	100
NOTB-0814	TAB	.30	8	1/4"	100
NOTB-1014	TAB	.30	10	1/4"	100
NOTN-0614	TAB	.25	6	1/4"	100
NOTN-0814	TAB	.25	8	1/4"	100

POSI-TECH

HEAT SHRINK RING TERMINALS



HEAT SHRINKABLE TERMINALS PROVIDE AN ENVIRONMENTALLY SEALED WIRE TERMINATION. ALSO RESISTS WATER, SALT, AND OTHER CONTAMINANTS.

PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
NHRG-2206	22-18	6	RED	50
NHRG-2208	22-18	8	RED	50
NHRG-2210	22-18	10	RED	50
NHRG-2214	22-18	1/4	RED	50
NHRG-2256	22-18	5/16	RED	50
NHRG-1606	16-14	6	BLUE	50
NHRG-1608	16-14	8	BLUE	50
NHRG-1610	16-14	10	BLUE	50
NHRG-1614	16-14	1/4"	BLUE	50
NHRG-1656	16-14	5/16"	BLUE	50
NHRG-1638	16-14	3/8"	BLUE	50
NHRG-1206	12-10	6	YELLOW	50
NHRG-1208	12-10	8	YELLOW	50
NHRG-1210	12-10	10	YELLOW	50
NHRG-1214	12-10	1/4"	YELLOW	50
NHRG-1256	12-10	5/16"	YELLOW	50
NHRG-1238	12-10	3/8"	YELLOW	50
NHRG-1212	12-10	1/2"	YELLOW	50

HEAT SHRINK BUTT CONNECTORS



HEAT SHRINKABLE TERMINALS PROVIDE AN ENVIRONMENTALLY SEALED WIRE TERMINATION. ALSO RESISTS WATER, SALT, AND OTHER CONTAMINANTS.

PART NUMBER	WIRE SIZE	COLOR	BOX QTY
NHBT-2200	22-18	RED	50
NHBT-1600	16-14	BLUE	50
NHBT-1200	12-10	YELLOW	50

HEAT SHRINK 3 & 4 WAY TERMINALS



HEAT SHRINKABLE TERMINALS PROVIDE AN ENVIRONMENTALLY SEALED WIRE TERMINATION. ALSO RESISTS WATER, SALT, AND OTHER CONTAMINANTS.

PART NUMBER	TYPE	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
NHTW-2200	3 WAY	22-18	NA	RED	25
NHTW-1600	3 WAY	16-14	NA	BLUE	25
NHTW-1200	3 WAY	12-10	NA	YELLOW	25
NHFW-2200	4 WAY	22-18	NA	RED	25
NHFW-1600	4 WAY	16-14	NA	BLUE	25
NHFW-1200	4 WAY	12-10	NA	YELLOW	25

POSI-TECH


HEAT SHRINK SPADE TERMINALS



PART NUMBER	WIRE SIZE	STUD SIZE	COLOR	BOX QTY
NHSP-2206	22-18	6	RED	50
NHSP-2208	22-18	8	RED	50
NHSP-2210	22-18	10	RED	50
NHSP-1606	16-14	6	BLUE	50
NHSP-1608	16-14	8	BLUE	50
NHSP-1610	16-14	10	BLUE	50
NHSP-1206	12-10	6	YELLOW	50
NHSP-1208	12-10	8	YELLOW	50
NHSP-1210	12-10	10	YELLOW	50

HEAT SHRINKABLE TERMINALS PROVIDE AN ENVIRONMENTALLY SEALED WIRE TERMINATION. ALSO RESISTS WATER, SALT, AND OTHER CONTAMINANTS.


HEAT SHRINK QUICK-SLIDES



PART NUMBER	BLADE TYPE	WIRE SIZE	BLADE WIDTH	COLOR	QTY BOX
NHQB-2214	FEMALE	22-18	1/4"	RED	50
NHQB-1614	FEMALE	16-14	1/4"	BLUE	50
NHQB-1214	FEMALE	12-10	1/4"	YELLOW	50
NHQM-2214	MALE	22-18	1/4"	RED	50
NHQM-1614	MALE	16-14	1/4"	BLUE	50
NHQM-1214	MALE	12-10	1/4"	YELLOW	50

HEAT SHRINKABLE TERMINALS PROVIDE AN ENVIRONMENTALLY SEALED WIRE TERMINATION. ALSO RESISTS WATER, SALT, AND OTHER CONTAMINANTS.

HEAT SHRINK FULLY INS. QUICK SLIDES



PART NUMBER	BLADE TYPE	WIRE SIZE	BLADE WIDTH	COLOR	BOX QTY
NHFF-2214	FEMALE	22-18	1/4"	RED	50
NHFF-1614	FEMALE	16-14	1/4"	BLUE	50
NHFF-1214	FEMALE	12-10	1/4"	YELLOW	50
NHFM-2214	MALE	22-18	1/4"	RED	50
NHFM-1614	MALE	16-14	1/4"	BLUE	50
NHFM-1214	MALE	12-10	1/4"	YELLOW	50

HEAT SHRINKABLE TERMINALS PROVIDE AN ENVIRONMENTALLY SEALED WIRE TERMINATION. ALSO RESISTS WATER, SALT, AND OTHER CONTAMINANTS.

POSi-TECH

HIGH-TEMP RING TERMINALS 900°



ONE PIECE, STEEL CONSTRUCTION, NICKEL PLATED. TEMPERATURES UP TO 900 DEGREES FAHRENHEIT.

PART NUMBER	WIRE SIZE	STUD SIZE	BOX QTY
HTRG-2206	22-18	6	100
HTRG-2208	22-18	8	100
HTRG-2210	22-18	10	100
HTRG-1606	16-14	6	100
HTRG-1610	16-14	10	100
HTRG-1206	12-10	6	100
HTRG-1210	12-10	10	100
HTRG-1214	12-10	1/4"	100
HTRG-1256	12-10	5/16"	100
HTRG-1238	12-10	3/8"	100


HIGH-TEMP BUTT CONNECTORS 900°



ONE PIECE, STEEL CONSTRUCTION, NICKEL PLATED. TEMPERATURES UP TO 900 DEGREES FAHRENHEIT.

PART NUMBER	WIRE SIZE	STUD SIZE	BOX QTY
HTBT-2200	22-18	6	100
HTBT-1600	16-14	8	100
HTBT-1200	12-10	10	100

HIGH-TEMP QUICK SLIDES 900°



ONE PIECE, STEEL CONSTRUCTION, NICKEL PLATED. TEMPERATURES UP TO 900 DEGREES FAHRENHEIT.

PART NUMBER	BLADE TYPE	WIRE SIZE	BLADE WIDTH	BOX QTY
HTQF-1636	FEMALE	16-14	3/16"	100
HTQF-1614	FEMALE	16-14	1/4"	100
HTQF-1214	FEMALE	12-10	1/4"	100
HTQM-1636	MALE	16-14	3/16"	100
HTQM-1614	MALE	16-14	1/4"	100

POSI-TECH

TERMINAL KITS



PART NUMBER	DESCRIPTION
VNKH-0132	132 PIECES INCLUDING VINYL INSULATED RINGS, SPADES AND BUTT CONNECTORS.
VNKH-0100	100 PIECES INCLUDING 11 DIFFERENT VINYL AND NYLON INSULATED QUICK SLIDES.
VNKH-0481	481 PIECES INCLUDING A VARIETY OF OUR MOST POPULAR VINYL TERMINALS INCLUDING RINGS, SPADES AND BUTT CONNECTORS. TLCR-0602 CRIMP TOOL INCLUDED.
VNKH-1481	SAME AS VNKH-0481 WITHOUT TLCR-0602 TOOL.
VNKH-1200	1200 PIECES INCLUDING OUR MOST POPULAR VINYL TERMINALS INCLUDING RINGS, SPADES, AND BUTT CONNECTORS. IDEAL FOR THE MASTER ELECTRICIAN.

HANDYPAK - 25 PACK TERMINALS

SOLD BY THE BOX

1 BOX = 25 PCS



PART NUMBER	TYPE	COLOR	WIRE SIZE	STUD SIZE
VNBT-1200-AP	BUTT	YELLOW	12-10	---
VNBT-1600-AP	BUTT	BLUE	16-14	---
VNBT-2200-AP	BUTT	RED	22-18	---
VNQF-1214-AP	QUICK SLIDE FEM.	YELLOW	12-10	1/4
VNQF-1614-AP	QUICK SLIDE FEM.	BLUE	16-14	1/4
VNQF-2214-AP	QUICK SLIDE FEM.	RED	22-18	1/4
VNRG-1208-AP	RING	YELLOW	12-10	8
VNRG-1210-AP	RING	YELLOW	12-10	10
VNRG-1214-AP	RING	YELLOW	12-10	14
VNRG-1608-AP	RING	BLUE	16-14	8
VNRG-1610-AP	RING	BLUE	16-14	10
VNRG-2208-AP	RING	RED	22-18	8
VNRG-2210-AP	RING	RED	22-18	10
VNSP-1208-AP	SPADE	YELLOW	12-10	8
VNSP-1210-AP	SPADE	YELLOW	12-10	10
VNSP-1606-AP	SPADE	BLUE	16-14	6
VNSP-1608-AP	SPADE	BLUE	16-14	8
VNSP-1610-AP	SPADE	BLUE	16-14	10
VNSP-2206-AP	SPADE	RED	22-18	6
VNSP-2208-AP	SPADE	RED	22-18	8
VNSP-2210-AP	SPADE	RED	22-18	10