


# POSI-TECH


## TEST INSTRUMENTS



DC VOLTAGE: 200mV/2/20/200/1000V  
 AC VOLTAGE: 200mV/2/20/200/750V  
 DC CURRENT: 200a/2m/20m/200mA/20A  
 AC CURRENT: NA  
 OHMS FULL SCALE: 10,000 OHMS

INCLUDED WITH METER:  
 TL-58 TEST LEADS  
 TEMP PROBE  
 ONE SPARE FUSE  
 ONE BATTERY AA

**MTMT-8700**



DC VOLTAGE: 200mV/2/20/200/600V  
 AC VOLTAGE:  
 DC CURRENT: 2m/20m/200mA  
 AC CURRENT: NA  
 OHMS FULL SCALE: 100,000 OHMS

INCLUDED WITH METER:  
 TL-54 TEST LEADS  
 ONE SPARE FUSE  
 ONE BATTERY AA

**MTMT-350A**



AC CURRENT: 20A/200A/700A  
 AC VOLTAGE: 200V/600V  
 MAX CONDUCTOR SIZE: 1.8"  
 BAR GRAPH READING  
 RESISTANCE: 200/200K OHM

INCLUDED WITH METER:  
 TL-52 TEST LEADS  
 TEMP PROBE  
 ONE SPARE FUSE  
 ONE BATTERY AA  
 CARRYING CASE

**MTSP-0700**



DC VOLTAGE: 200mV/2/20/200/500V  
 DC CURRENT: NA  
 AC CURRENT: NA  
 AC VOLTAGE: 2/20/200/500V  
 RESISTANCE: 100m OHM

INCLUDED WITH METER:  
 TL-49 TEST LEADS  
 DETACHABLE ALLIGATOR CLIPS  
 INSULATED PROBE TIP  
 ONE SPARE FUSE  
 ONE BATTERY AA  
 CARRYING CASE

**MTPB-6593**

# POSi-TECH

## TEST INSTRUMENTS



FREQUENCY RESPONSE: 50-400 Hz  
 DUTY CYCLE: CONTINUOUS  
 MAX CONDUCTOR SIZE: 1.2"  
 FUSE PROTECTION: ONE FAST ACTING HIGH INTERRUPTING CAPACITY 1/2A 250V 1/4" X 1-1/4" FUSE. SPARE FUSES AVAILABLE, PLEASE CALL.

INCLUDED WITH METER:  
 TL-52 TEST LEADS  
 ONE SPARE FUSE  
 ONE BATTERY AA  
 CARRYING CASE

**MTSP-0300**



DC VOLTAGE: 10/50/250/500VDC  
 AC VOLTAGE: 50/250/500VAC  
 DC CURRENT: 50/250mADC  
 AC CURRENT: NA  
 OHMS FULL SCALE: 1000 OHMS

INCLUDED WITH METER:  
 TL-34 TEST LEADS  
 ONE SPARE FUSE  
 ONE BATTERY AA


**MTMT-SP5A**

## CIRCUIT BREAKER FINDER

RANGE: 80 - 140 VAC MAX TO GROUND  
 FREQUENCY: 50-60 Hz  
 POWER SUPPLY: 1.9V TRANSISTOR TYPE BATTERY

















BY USING THE TRANSMITTER AND RECEIVER, THE CBFI-1000 CIRCUIT BREAKER FINDER QUICKLY AND EASILY IDENTIFIES INDIVIDUAL BRANCH CIRCUITS AT THE PANEL BOX WITHOUT INTERRUPTING POWER. IT IS THE BEST WAY TO ACCURATELY LOCATE CIRCUIT BREAKERS.

**CBFI-1000**



# POSi-TECH

## TEST INSTRUMENTS

 <p><b>STOP SHOCK RECEPTACLE TESTER</b> VERIFIES PROPER LOW IMPEDANCE GROUNDING, INSURING SAFE OUTLETS. <b>MTGF-302A</b></p>	 <p><b>VOLT SENSOR</b> <b>NON-CONTACT VOLTAGE DETECTOR</b> READS HOT WIRE WITH RESPECT TO GROUND. <b>AUDIBLE AND VISUAL INDICATION</b> <b>THUMBWHEEL SENSITIVITY SWITCH</b></p> <p><b>MTVS-601A</b></p>	 <p><b>ELECTRICAL TESTER</b> INEXPENSIVE FULLY INSULATED CIRCUIT TESTER/ SCREWDRIVER VISUAL INDICATION</p> <p><b>MTET-400A</b></p>	 <p><b>ELECTRICAL TESTER</b> TESTS LOW DC VOLTAGE FROM 6 - 12VDC</p> <p><b>MTET-500A</b></p>
 <p><b>3-WIRE CIRCUIT ANALYZER</b> WARNS AGAINST FAULTY WIRING. YELLOW AND RED LIGHTS SIGNAL DEFECTIVE WIRES. <b>MTCR-300A</b></p>	 <p><b>ELECTRICAL TESTER</b> FULLY INSULATED ,THIS HANDY LITTLE POCKET SCREWDRIVER IS ALSO A HIGH VOLTAGE CIRCUIT TESTER. PROBE FITS INTO STANDARD 110V AND 220V OUTLETS.</p> <p><b>MTET-401A</b></p>	 <p><b>ELECTRICAL TESTER / LOW VOLTAGE</b> CHECKS FROM 5-50 VAC/DC</p> <p><b>MTET-200A</b></p>	 <p><b>CONTINUITY TESTER / FLASHLIGHT</b> CIRCUIT CONTINUITY TESTER SMALL POCKET CLIP CAN BE USED FOR TIGHT SPOTS.</p> <p><b>MTCT-100A</b></p>
 <p><b>GFI RECEPTACLE TESTER</b> WARNS AGAINST FAULTY WIRING. TRIPS GFI TO INDICATE PROPER OPERATION. <b>MTCR-302A</b></p>	 <p><b>BATTERY TESTER</b> CHECKS BATTERIES FROM 1.5V - 9V AAA, AA, C, D, 9V</p> <p><b>MTBT-026A</b></p>	 <p><b>ELECTRICAL TESTER</b> GENERAL PURPOSE, CHECKS VOLTAGES FROM 80-500 VAC/DC. HEAVY DUTY TEST PROBES.</p> <p><b>MTET-201A</b></p>	 <p><b>CONTINUITY TESTER</b> FOR NON ENERGIZED CIRCUITS CHECKS FOR CONTINUITY OF ANY CIRCUIT. EXTRA LONG INSULATED LEAD WITH ALLIGATOR CLIP. 2 AA BATTERIES NOT INCLUDED.</p> <p><b>MTCT-101A</b></p>
 <p><b>VOLTECTOR</b> AC/DC VOLTAGE TESTER <b>SOLENOID TYPE</b> AC/DC INDICATION POLARITY INDICATION</p> <p><b>MTVT-V11A</b></p>	 <p><b>ELECTRICAL TESTER</b> CHECKS 110, 220, 227, AND 460 AC/DC WITH JUST ONE TESTER.</p> <p><b>MTET-204A</b></p>	 <p><b>ELECTRICAL TESTER</b> GENERAL PURPOSE, CHECKS VOLTAGES FROM 80-500 VAC/DC. HEAVY DUTY TEST PROBES.</p> <p><b>MTET-201A</b></p>	 <p><b>CONTINUITY TESTER</b> FOR NON ENERGIZED CIRCUITS CHECKS FOR CONTINUITY OF ANY CIRCUIT. EXTRA LONG INSULATED LEAD WITH ALLIGATOR CLIP. 2 AA BATTERIES NOT INCLUDED.</p> <p><b>MTCT-101A</b></p>