

POSi-TECH

COMPRESSION TOOLS

P81KFT

#8-1000 MCM Copper/Aluminum

New!

This tool is available for rental. Please call for pricing and scheduling.



The P81KFT incorporates a latchless flip-top style head that provides easy tool removal from continuous conductor runs, while eliminating the need to purchase and maintain dies. The Y81KFT is ideally suited for use on copper, aluminum, compressed, compact, stranded, solid and flex conductors.

Delivering 6 tons of crimping force, yet weighing just 12 pounds, the ergonomically sound P81KFT delivers incredibly easy termination and splicing. Also, the P81KFT's head rotates 360° relative to the handles and is mated to a patented rapid advance pump.

Posi-tech's P81KFT comes complete with a molded, high-impact plastic case and a 5-year limited warranty. This crimping tool is UL Listed with range taking capabilities when used in conjunction with Posi-tech ES and EL series compression lugs.

Other advanced features include: an audible pressure "pop-off" valve and die embossment providing 360° inspectability, and a convenient ram release located in the handle.

TLCR-4002

#8-250 MCM Cu #8-4/0 Al




Dieless Adjustable Crimp Tool

Length 24" Steel Handles

TLDM-0500

#8-500 MCM Cu/Al



Unique handle design - provides increased leverage. At 500 MCM, the TDM-500 requires less handle load than conventional 250 MCM tools require at 250 MCM.

Easiest Bench Use - machined flat head surface allows you to stand tool freely in working position

POSI-TECH

CRIMPING AND STRIPPING TOOLS

HAMMER
CRIMPER

#8 - 4/0



TLCR-4000

HAMMER CRIMPER

#8 - 4/0



TLCR-4001

15" MANUAL CRIMPER

#8 - 2/0




TLCR-4003

ECONOMY WIRE
STRIPPER



TLWS-1000

WIRE STRIPPER/
CRIMPER COMBO



TLWS-2000

PROFESSIONAL
WIRE STRIPPER



TLWS-3000

INSULATED FLAG
TERMINAL CRIMPER



TLFG-1000

NON-INSULATED FLAG
TERMINAL CRIMPER



TLFG-2000

NYLON PIGTAIL
CRIMPER



FOR USE WITH NYPG AND NOPG SERIES

TLPG-1000

ECONOMY
TERMINAL
CRIMPER



TLCR-0601

TERMINAL
CRIMPER



TLCR-0602

RATCHETING
TERMINAL CRIMPER




TLCR-0603

POSI-TECH

CABLE CUTTERS AND MISC. TOOLS

CABLE CUTTERS




PART NUMBER	LENGTH	CABLE SIZE	PRICE EACH
TLCC-0910	8.5"	250 MCM	29.94
TLCC-3015	16"	350 MCM	58.50
TLCC-1124	21"	500 MCM	113.00
TLCC-1132	32"	1000 MCM	165.00
TLCC-1037	36" (Telecom)	2000 MCM	176.00
RATCHET TYPE			
TLCC-7015	16"	750 MCM	298.00

COPPER OR ALUMINUM CABLE

COAX CRIMPER

RG-6
RG-59
RG-58



TLCO-1000

COAX STRIPPER

RG-6
RG-59
RG-58




TLCS-1000

PVC CUTTERS



TLPC-1000

PUNCH DOWN TOOL



TLPD-1000


PUNCH DOWN BLADE



FOR USE WITH TLPD-1000


TLBL-6600

RJ-11 MODULAR CRIMP TOOL



TLCP-6488

CABLE TIE TOOL ECONOMY 18 - 50 LB TIES




TLCT-1000


CABLE TIE TOOL HEAVY DUTY 18 - 50 LB LB TIES

TLCT-1500
(Plastic)

TLCT-2000
(Metal)



CABLE TIE TOOL HEAVY DUTY 120 - 175 LB TIES




TLCT-3000

POSI-TECH

BITS, DRIVERS AND HEAT GUNS

HEX DRIVER



PART NUMBER	Drive Size	LENGTH
TLHX-1400	1/4"	1-3/4"
TLHX-1403	1/4"	2-9/16"
TLHX-1406	1/4"	6"
TLHX-5600	5/16"	1-3/4"
TLHX-5603	5/16"	2-9/16"
TLHX-5606	5/16"	6"
TLHX-3800	3/8"	1-3/4"
TLHX-3803	3/8"	2-9/16"
TLHX-3806	3/8"	6"

PHILLIPS INSERT BITS FOR USE WITH TLBH-1000




PART NUMBER	LENGTH	SIZE
TLPH-1001	1"	#1
TLPH-2001	1"	#2
TLPH-3001	1"	#3

BITHOLDER



TLBH-1000

POWERDRILL PHILLIPS BITS



PART NUMBER	LENGTH	SIZE
TLPH-1000	1-15/16"	#1
TLPH-2000	1-15/16"	#2
TLPH-3000	1-15/16"	#3
TLPH-1003	2-3/4"	#1
TLPH-2003	2-3/4"	#2
TLPH-3003	2-3/4"	#3
TLPH-1006	6"	#1
TLPH-2006	6"	#2
TLPH-3006	6"	#3

SQUARE DRIVE



PART NUMBER	LENGTH	USE WITH SCREW TYPE
TLSX-0600	1-15/16"	#6
TLSX-0810	1-15/16"	#8 - #10
TLSX-1200	1-15/16"	#12
TLSX-0603	2-3/4"	#6
TLSX-0813	2-3/4"	#8 - #10
TLSX-1203	2-3/4"	#12
TLSX-0606	6"	#6
TLSX-0816	6"	#8 - #10
TLSX-1206	6"	#12

Contains 31 assorted security bits plus 1 magnetic hand driver in a convenient plastic carrying case. Includes:

All Bits and Driver in 1/4" Hex.

- Spanner Bits, #4, #6, #8, #10, #12, #1/4.
- Torx® Tamperproof Bits, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40.
- Phillips Pin-Head Bits, #2, #3.
- Socket Pin-Head Bits, 3/32", 1/8", 5/32", 7/32", 3/16".
- Tri-Wing® Bits, W3, W4, W5.
- Square Drive Bits, R1, R2.
- 1 Spanner Nut Bit.
- 1 TP3 Triangular Recess Bit #TL1

TPKT-1000



Bench-top heating system

TLHG-2000

SPECIFICATIONS

Ave. Air Volume: 3.8 CFM
 Nozzle Opening: 1" Dia.
 Ave. Air Velocity: 700 FPM
 Cordset: 7 ft.
 Motor: Shaded Pole
 Net Weight: 1.7 lbs.
 Dimensions: 8.8" L x 3.3" W x 7" H
 Shipping Weight: 3 lbs.



Economy Variable Temp Heat Gun

TLHG-1000

SPECIFICATIONS

Spec: 250 - 1200 Watts
 Power : 120 VAC / 10 Amp
 Net Weight: 1.6 lbs.



Professional, heavy-duty, industrial quality.

Part #	Temp F	Temp C	Volt	Amps	Watts
TLHG-3000	200-300°F	93-150°C	120V	5A	600W
TLHG-3001	300-500°F	150-260°C	120V	12A	1440W
TLHG-3002	500-750°F	260-400°C	120V	14A	1680W
TLHG-3003	750-1000°F	400-540°C	120V	14.5A	1740W

